HUSTMAS

深圳市睿鑫杰实业有限公司

Shenzhen Ruixinjie Industrial Co., Ltd



公司地址：深圳市宝安区石岩街道料坑社区丰盛源工业园B栋
Company address: Building B, Fengshengyuan Industrial Park, Liaokeng Community, Shiyan Street, Bao'an District, Shenzhen

工厂地址：云南省曲靖市罗平县腊山街道长青大道工业园区5-8幢
Factory address:Building 5-8, Changqing Avenue Industrial Park, Lashan Street, Luoping County, Qujing City, Yunnan Province

adai@ruixinjiepc.com
https://ruixinjiepc.1688.com/
+86 13088875333

客户至上 服务至上 诚信为本

Customer First Service First
And Integrity-based

公司简介
Company Profile



我们公司是一家集研发、生产、销售及售后一体的专业显示设备制造厂家，深耕液晶显示屏设备行业已有13余年，2019年于云南曲靖市政府招商引资建立新工厂，占地面积30000平方米，员工约200人，工程团队约10人，建立了多条自动化生产线及专业检测设备，拥有成熟的QC质量检测体系以确保产品的高质量。公司主营产品为商务显示器，电竞显示器，一体机，广告机、商用显示设备，电视机、适配器等，支持OEM和ODM，以及外贸订单加工，产品符合3C、CE、UL、KC、PSE等国际标准，远销海外欧美、中东、东南亚等。同时深圳市宝安区设立1000多平方米厂房，用于办公以及小型加工和仓储，并提供销售以及技术支持。

公司拥有成熟的研发团队，高标准的工厂管理模式，为广大消费者提供创新的设计，高质量的产品，优质的服务，一直秉承"客户至上，服务至上，诚信为本"的经营理念，希望产品深入每个用户的生活！欢迎来电合作！

Our company is a professional manufacturer engaged in the development of design, production, sales and after-sales integrated services, and has been deeply involved in the LCD display device for over 13 years.In 2019,our production base was moved to Qujing through the Yunnan government's investment promotion ,covering an area of more than 30,000㎡, around 200 employees, there are about 10 engineers for technical support. We have established multiple automated production lines and professional testing equipment, and have a mature QC quality inspection system to ensure the high quality of our products. The mainly products are LCD monitor, gaming monitors,All In One Pc, advertising players, commercial display equipment, televisions , adapter, etc.OEM,ODM and processing of foreign trade orders can be acceptable .Most of products are compliance with the standard of CCC, CE, UL,KC,PSE,etc,exported to Europe, America, the Middle East, Southeast Asia, etc.At the same time, we has been established a 1000㎡ factory in Bao'an District, Shenzhen, for office use as well as small-scale processing and warehousing, providing sales and technical support.

The company has a mature R&D team and a high standard factory management model, providing innovative designs, high-quality products, and excellent services to consumers. We have always adhered to the business philosophy of "customer first, service first, and integrity-based", and hope that our products can penetrate into the lives of every user! Welcome to call for cooperation!

资质证书
Qualification Certificate



发展历程
Development History

2005

公司成立航顺限公司，设立生产制造中心，主攻商务显示器、电竞显示器等。

The company established Sunze technology Limited Company and set up a manufacturing center, focusing on LED monitor and gaming monitor etc.

2008

扩大规模搬迁到宝安石岩。

Expand the scale and relocate to Bao'an Shiyan.

2016

成立深圳市睿鑫杰实业有限公司，产线线拓展至一体机、广告机、适配器等。

Established Shenzhen Ruixinjie Industrial Co., Ltd., expand product lines such as all-in-one , advertising display, adapters, etc.

2017

公司通过国际质量管理体系ISO9000:2000认证，产品已取得CB、CE、CCC、BIS、BIMS、KC、UL、TUV等多个国家地区权威机构的安全认证。

The company has passed the international quality management system ISO9000:2000 certification, and its products have obtained safety certifications from authoritative institutions in multiple countries and regions such as CB, CE, CCC, BIS, BIMS, KC, UL, TUV, etc.

2020

在云南成立云南省晶源科技有限公司，占地面积30000㎡，主要生产商务显示器，电竞显示器，一体机，广告机、商用显示设备，适配器各种显示器类等项目。

In 2020, established Yunnan Delipower Technology Co., Ltd.in Yun’ nan,covering an area of 30000 ㎡, mainly products are business monitor,gaming monitor, all-in-one pc, advertising display, commercial display equipment, adapters, and various display projects. Establish a modern management factory of 10000 square meters in Changqing Avenue Industrial Park, Lashan Street, Luoping County, Qujing City, Yunnan Province.

2021

主攻国内外显示器市场，支持OEM和ODM，及外贸订单加工。

Focusing on the domestic and international monitor market, supporting OEM and ODM, as well as processing foreign trade orders.

2025

发展永不止步，力创百年企业。明确的发展目标，展望未来，共创辉煌。

Development never stops, striving to create a century old enterprise. Clear development goals, looking forward to the future, and creating brilliance together.













公司一角
Company Corner





































品控&测试
Quality Control&Testing































主营产品
Main products

窄边框办公DM款
Bordered LED monitor-DM series













产品参数/Product parameters

型号/Model	DM185D	DM190D	DM195D	DM220D	DM240D	DM270D
尺寸/Size	18.5"	19"	19.5"	21.5"	23.8"	27"
屏类型/Panel type	TN/IPS					
分辨率/Resolution	1366*768P	1440*900P	1600*900P	1920*1080P	1920*1080P 75Hz &165Hz 2560*1440P 75Hz &165Hz 3840*2160P 75Hz	1920*1080P 75Hz &165Hz &240Hz 2560*1440P 75Hz &165Hz &240Hz 3840*2160P 75Hz
刷新率/Refresh rate	60Hz				75Hz/165Hz	75Hz/165Hz/240Hz
纵横比/Display ratio	16:9					
可视角度/ Viewing angle	H178°/V178°					
亮度/ Brightness	220 cd/m²(Typical)			250 cd/m²(Typical)		
响应时间/ Response time	5ms					
对比度/ Contrast ratio	3000:1(Typical)					
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)					
OSD功能特点/ OSD feature	低蓝光，DCR ，对比度等等/Low-Blue Light,DCR ,Contrast ,etc.					
接口/interface type	HDMI+VGA，HDMI+VGA+AUDIO（可选） HDMI+VGA，HDMI+VGA+AUDIO(Optional)				HDMI+VGA HDMI+DP+USB+AUDIO 2*HDMI+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO	
喇叭/speaker	可选/Optional					
电源/Power	DC 12V 2A 24W				DC 12V 3A 36W	DC 12V 4A 48W
底座/Base	前后仰(+5°~-15°)/Tiltable(+5°~-15°)					
壁挂/VESA bracket	100*100mm					
颜色/Color	黑色/black					
配件/Accessories	1.5M HDMI线+电源+说明书/1.5M HDMI cable+power+manual					
包装信息/ Single package	520*102*412mm/3kg			520*102*412mm/3.2kg	620*115*450mm/3.7kg	

平面无边框XM款

Flat & Farmeless-XM series









产品参数/Product parameters

型号/Model	XM220D	XM240D	XM270D	XM320D
尺寸/Size	21.5"	23.8"	27"	32"
屏类型/Panel type	VA,IPS(可选）/VA,IPS（optional）			
分辨率/Resolution	1920*1080P	1920*1080P 75Hz &165Hz 2560*1440P 75Hz &165Hz 3840*2160P 75Hz	1920*1080P 75Hz &165Hz &240Hz 2560*1440P 75Hz &165Hz &240Hz 3840*2160P 75Hz	1920*1080P 75Hz &165Hz &240Hz 2560*1440P 75Hz &165Hz 3840*2160P 75Hz
刷新率/Refresh rate	75Hz	75Hz/165Hz	75Hz/165Hz/240Hz	75Hz/165Hz/240Hz
纵横比/Display ratio	16:9			
可视角度/ Viewing angle	H178°/V178°			
亮度/ Brightness	250 cd/m²(Typical)			
响应时间/ Response time	5ms			
对比度/ Contrast ratio	3000:1(Typical)			
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)			
OSD功能特点/ OSD feature	低蓝光，DCR，对比度等等/ Low-Blue Light,DCR ,Contrast ,etc.	低蓝光,HDR,Freesync & G-sync等等/Low-Blue Light,HDR,Freesync & G-sync,etc.		
接口/interface type	HDMI+VGA， HDMI+VGA+AUDIO （可选）/（Optional）	HDMI+VGA HDMI+DP+USB+AUDIO	HDMI+VGA HDMI+DP+USB+AUDIO 2*HDMI+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO	HDMI+VGA HDMI+DP+USB+AUDIO 2*HDMI+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO
喇叭/speaker	可选/Optional			
电源/Power	DC 12V 2A 24W	DC 12V 2.5A 30W	DC 12V 3A 36W/4A 48W	DC 12V 4A 48W
底座/Base	前后仰(+5°~-15°)/Tiltable(+5°~-15°)			
壁挂/VESA bracket	75*75mm			
颜色/Color	黑色/白色 / Blacke/white			
配件/Accessories	1.5M HDMI线+电源+说明书 / 1.5M HDMI cable+power+manual			
包装信息/ Single package	555*95*368mm/3.4kg	590*384*115mm/3.9kg	678*434*125mm/4.6kg	790*120*495mm/6.6kg

平面无边框LM款

Flat & Farmeless-LM series











产品参数/Product parameters

型号/Model	LM240D	LM270D
尺寸/Size	23.8"	27"
屏类型/Panel type	VA,IPS(可选）/VA,IPS（optional）	
分辨率/Resolution	1920*1080P 75Hz &165Hz 2560*1440P 75Hz &165Hz 3840*2160P 75Hz	1920*1080P 75Hz &165Hz &240Hz 2560*1440P 75Hz &165Hz &240Hz 3840*2160P 75Hz
刷新率/Refresh rate	75Hz/165Hz	75Hz/165Hz/240Hz
纵横比/Display ratio	16:9	
可视角度/ Viewing angle	H178°/V178°	
亮度/ Brightness	250 cd/m²(Typical)	
响应时间/ Response time	5ms	
对比度/ Contrast ratio	3000:1(Typical)	
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)	
OSD功能特点/ OSD feature	低蓝光,HDR,OD，PIP & PBP，Freesync & G-sync等等/Low-Blue Light,HDR,Freesync & G-sync,etc.	
接口/interface type	HDMI+VGA HDMI+DP+USB+AUDIO	HDMI+VGA HDMI+DP+USB+AUDIO 2*HDMI+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO
喇叭/speaker	可选/optional	
电源/Power	DC 12V 2.5A 30W/3A 36W	DC 12V 3A 36W/4A 48W
底座/Base	前后仰(+5°~-15°)，快拆式/Tiltable(+5°~-15°)，Quick disassembly base	
壁挂/VESA bracket	75*75mm	
颜色/Color	黑色/Black	
配件/Accessories	1.5M HDMI线+电源+说明书/1.5M HDMI cable+power+manual	
包装信息/ Single package	590*384*115mm/3.9kg	678*434*125mm/4.6kg

无线充电LMW款

Wireless&Charging -LMW series



*支持无线充电/
*Support wireless charging

*支持无线投屏/
*Support wireless screen mirroring













产品参数/Product parameters

型号/Model	LMW240D	LMW270D
尺寸/Size	23.8"	27"
屏类型/Panel type	VA,IPS(可选）/VA,IPS(optional)	
分辨率/Resolution	1920*1080P 2560*1440P	
刷新率/Refresh rate	75Hz/180HZ	
纵横比/Display ratio	16:9	
可视角度/ Viewing angle	H178°/V178°	
亮度/ Brightness	250 cd/m²(Typical)	
响应时间/ Response time	5ms	
对比度/ Contrast ratio	3000:1(Typical)	
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)	
OSD功能特点/ OSD feature	无线充电，带触控按键，　低蓝光,HDR,Freesync & G-sync等等/wireless charging，With touch buttons, Low-Blue Light,HDR,Freesync & G-sync,etc.	
接口/interface type	HDMI+2*USB+AUDIO+Typc-c(无线投屏和充电）/HDMI+2*USB+AUDIO+Typc-c (Wireless screen projection & charging)	
喇叭/speaker	可选/Optional	
电源/Power	DC 24V 2.5A 60W	DC 24V 3A 72W
底座/Base	前后仰(+5°~-15°)，快拆式/Tiltable(+5°~-15°)，Quick disassembly base	
壁挂/VESA bracket	不支持/Not supported	
颜色/Color	黑色/Black	
配件/Accessories	1.5M HDMI线+电源+说明书/1.5M HDMI cable+power+manual	
包装信息/ Single package	590*384*115mm/3.9kg	678*434*125mm/4.6kg

平面无边框TM款

Flat & Farmeless-TM series













产品参数/Product parameters

型号/Model	TM220D	TM240D	TM270D
尺寸/Size	21.5"	23.8"	27"
屏类型/Panel type	VA,IPS(可选）/VA,IPS（optional）		
分辨率/Resolution	1920*1080P	1920*1080P 75Hz &165Hz 2560*1440P 75Hz &165Hz 3840*2160P 75Hz	1920*1080P 75Hz &165Hz &240Hz 2560*1440P 75Hz &165Hz &240Hz 3840*2160P 75Hz
刷新率/Refresh rate	75Hz	75Hz/180HZ	75Hz/180HZ/240Hz
纵横比/Display ratio	16:9		
可视角度/ Viewing angle	H178°/V178°		
亮度/ Brightness	250 cd/m²(Typical)		
响应时间/ Response time	5ms		
对比度/ Contrast ratio	3000:1(Typical)		
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)		
OSD功能特点/ OSD feature	低蓝光，DCR ，对比度等等 Low-Blue Light，DCR ，Contrast,etc.	低蓝光,HDR,OD，PIP & PBP，Freesync & G-sync等等 Low-Blue Light,HDR,Freesync & G-sync,etc.	
接口/interface type	HDMI+VGA，HDMI+VGA+AUDIO (可选）/HDMI+VGA，HDMI+VGA+AUDIO (Optional)	HDMI+VGA HDMI+DP+USB+AUDIO	HDMI+VGA HDMI+DP+USB+AUDIO 2*HDMI+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO
喇叭/speaker	可选/optional		
电源/Power	DC 12V 2A 24W	DC 12V 2.5A 30W/3A 36W	DC 12V 3A 36W/4A 48W
底座/Base	前后仰(+5°~-15°)，快拆式，左右旋转/Tiltable(+5°~-15°),Quick disassembly base，Rotate left and right		
壁挂/VESA bracket	100*100mm		
颜色/Color	黑色/Black		
配件/Accessories	1.5M HDMI线+电源+说明书/1.5M HDMI cable+power+manual		
包装信息/ Single package	555*95*360mm/3.4kg	588*115*386mm/3.9kg	675*125*445mm/4.6kg

R3000曲面无边框XM款

R3000 curved&Frameless XM series











产品参数/Product parameters

型号/Model	XM240R	XM270R	XM320R
尺寸/Size	23.8"	27"	32"
屏类型/Panel type	VA，R3000		
分辨率/Resolution	1920*1080P 75Hz &165Hz 2560*1440P 75Hz &165Hz 3840*2160P 75Hz	1920*1080P 75Hz &165Hz &240Hz 2560*1440P 75Hz &165Hz &240Hz 3840*2160P 75Hz	1920*1080P 75Hz &165Hz &240Hz 2560*1440P 75Hz &165Hz &240Hz 3840*2160P 75Hz
刷新率/Refresh rate	75Hz/180HZ	75Hz/180HZ	75Hz/180HZ/240Hz
纵横比/Display ratio	16:9		
可视角度/ Viewing angle	H178°/V178°		
亮度/ Brightness	250 cd/m²(Typical)		
响应时间/ Response time	5ms		
对比度/ Contrast ratio	3000:1(Typical)		
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)		
OSD功能特点/ OSD feature	低蓝光,HDR,OD，PIP & PBP，Freesync & G-sync等等/Low-Blue Light,HDR,Freesync & G-sync,etc.		
接口/interface type	HDMI+VGA HDMI+DP+USB+AUDIO	HDMI+VGA HDMI+DP+USB+AUDIO 2*HDMI+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO	HDMI+VGA HDMI+DP+USB+AUDIO 2*HDMI+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO
喇叭/speaker	可选（Optional）		
电源/Power	DC 12V 2.5A 30W/3A 36W	DC 12V 3A 36W/4A 48W	DC 12V 4A 48W/5A 60W
底座/Base	前后仰(+5°~-15°)/Tiltable(+5°~-15°)		
壁挂/VESA bracket	75*75mm		
颜色/Color	黑色/白色 Black/white		
配件/Accessories	1.5M HDMI线+电源+说明书/1.5M HDMI cable+power+manual		
包装信息/ Single package	590*384*115mm/3.9kg	678*434*125mm/4.6kg	790*120*495mm/6.6kg

R3000曲面无边框YG款

R3000 curved&Frameless YG series











产品参数/Product parameters

型号/Model	YG240R	YG270R	YG320R
尺寸/Size	23.8"	27"	32"
屏类型/Panel type	VA，R3000		
分辨率/Resolution	1920*1080P 75Hz &165Hz 2560*1440P 75Hz &165Hz 3840*2160P 75Hz	1920*1080P 75Hz &165Hz &240Hz 2560*1440P 75Hz &165Hz &240Hz 3840*2160P 75Hz	1920*1080P 75Hz &165Hz &240Hz 2560*1440P 75Hz &165Hz &240Hz 3840*2160P 75Hz
刷新率/Refresh rate	75Hz/180HZ	75Hz/180HZ	75Hz/180HZ/240Hz
纵横比/Display ratio	16:9		
可视角度/ Viewing angle	H178°/V178°		
亮度/ Brightness	250 cd/m²(Typical)		
响应时间/ Response time	5ms		
对比度/ Contrast ratio	3000:1(Typical)		
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)		
OSD功能特点/ OSD feature	低蓝光,HDR,OD，PIP & PBP，Freesync & G-sync等等/Low-Blue Light,HDR,Freesync & G-sync,etc.		
接口/interface type	HDMI+VGA HDMI+DP+USB+AUDIO	HDMI+VGA HDMI+DP+USB+AUDIO 2*HDMI+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO	HDMI+VGA HDMI+DP+USB+AUDIO 2*HDMI+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO
喇叭/speaker	可选（Optional）		
电源/Power	DC 12V 2.5A 30W/3A 36W	DC 12V 3A 36W/4A 48W	DC 12V 4A 48W/5A 60W
底座/Base	前后仰(+5°~-15°)/Tiltable(+5°~-15°)		
壁挂/VESA bracket	75*75mm		
颜色/Color	黑色/白色 Black/white		
配件/Accessories	1.5M HDMI线+电源+说明书/1.5M HDMI cable+power+manual		
包装信息/ Single package	590*384*115mm/3.9kg	678*434*125mm/4.6kg	790*120*495mm/6.6kg



平面电竞YG款

Flat&Gaming-YG series







产品参数/Product parameters

型号/Model	YG270D	YG280D	YG320D	YG340D
尺寸/Size	27"	28"	32"	34"
屏类型/Panel type	VA,IPS			
分辨率/Resolution	1920*1080P 180HZ &240Hz 2560*1440P 180HZ	3840*2160P	1920*1080P 180HZ &240Hz 2560*1440P 180HZ 3840*2160P 75Hz & 144Hz	3440*1440P
刷新率/Refresh rate	180HZ/240Hz	60Hz/180HZ	180HZ/240Hz	100Hz/144HZ
纵横比/Display ratio	16:9	16:9	16:9	21:9
可视角度/ Viewing angle	H178°/V178°			
亮度/ Brightness	250 cd/m²(Typical)	350 cd/m²(Typical)	250 cd/m²(Typical)	350 cd/m²(Typical)
响应时间/ Response time	5ms			
对比度/ Contrast ratio	3000:1(Typical)			
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)			
OSD功能特点/ OSD feature	低蓝光，DCR，对比度等等/ Low-Blue Light,DCR ,Contrast ,etc.	低蓝光,HDR,Freesync & G-sync等等/Low-Blue Light,HDR,Freesync & G-sync,etc.		
接口/interface type	HDMI+VGA, HDMI+VGA+AUDIO （可选）/（Optional）	HDMI+VGA HDMI+DP+USB+AUDIO	HDMI+VGA HDMI+DP+USB+AUDIO 2*HDMI+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO	HDMI+VGA HDMI+DP+USB+AUDIO 2*HDMI+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO
喇叭/speaker	可选/Optional			
电源/Power	DC 12V 2A 24W	DC 12V 2.5A 30W	DC 12V 3A 36W/4A 48W	DC 12V 4A 48W
底座/Base	前后仰(+5°~-15°)/Tiltable(+5°~-15°)			
壁挂/VESA bracket	75*75mm			
颜色/Color	黑色/白色 / Blacke/white			
配件/Accessories	1.5M HDMI线+电源+说明书 / 1.5M HDMI cable+power+manual			
包装信息/ Single package	555*95*368mm/3.4kg	590*384*115mm/3.9kg	678*434*125mm/4.6kg	790*120*495mm/6.6kg

平面电竞 PG款

Flat&Gaming-PG series

23.8"-32"











产品参数/Product parameters

型号/Model	PG240D	PG270D	PG320D
尺寸/Size	23.8"	27"	32"
屏类型/Panel type	VA,IPS		
分辨率/Resolution	1920*1080P 75Hz &180Hz 2560*1440P 75Hz &180HZ 3840*2160P 75Hz	1920*1080P 75Hz &180Hz 2560*1440P 75Hz &180HZ 3840*2160P 75Hz	1920*1080P 75Hz &180Hz 2560*1440P 75Hz &180HZ 3840*2160P 75Hz
刷新率/Refresh rate	75Hz/180HZ	75Hz/180HZ	75Hz/180HZ
纵横比/Display ratio	16:9		
可视角度/ Viewing angle	H178°/V178°		
亮度/ Brightness	250 cd/m²(Typical)		
响应时间/ Response time	5ms		
对比度/ Contrast ratio	3000:1(Typical)		
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)		
OSD功能特点/ OSD feature	低蓝光,HDR,OD，PIP & PBP，Freesync & G-sync等等 / Low-Blue Light,HDR,OD，PIP & PBP，Freesync & G-sync,etc.		
接口/interface type	HDMI*2+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO (typc-C 可选)/（Optional with typc-C）		
喇叭/speaker	可选/Optional		
电源/Power	DC 12V 3A 36W	DC 12V 3A 36W	DC 12V 3A 36W
底座/Base	前后仰(+5°~-15°) / Tiltable(+5°~-15°)		
壁挂/VESA bracket	100*100mm		
颜色/Color	黑色/白色 Black/white		
配件/Accessories	1.5M HDMI线+电源+说明书 / 1.5M HDMI cable+DP cable+power+manual		
包装信息/ Single package	590*384*115mm/4.5kg	678*434*125mm/4.6kg	790*120*495mm/6.6kg









产品参数/Product parameters

型号/Model	JG320DF	JG320DQ	JG320DU	JG340DU
尺寸/Size	32"	32"	32"	34"
屏类型/Panel type	VA,IPS(可选）/VA,IPS（Optional）			
分辨率/Resolution	1920*1080P	2560*1440P	3840*2160P	3440*1440P
刷新率/Refresh rate	180HZ/240Hz	75Hz/180HZ/240Hz	75Hz/144Hz	100Hz/144HZ
纵横比/Display ratio	16:9	16:9	16:9	21:9
可视角度/ Viewing angle	H178°/V178°			
亮度/ Brightness	250 cd/m^2(Typical)	250 cd/m^2(Typical)	250 cd/m^2(Typical)	350 cd/m^2(Typical)
响应时间/ Response time	1ms			
对比度/ Contrast ratio	3000:1(Typical)			
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)			
OSD功能特点/ OSD feature	低蓝光,HDR,Freesync & G-sync等等/Low-Blue Light,HDR,OD，PIP & PBP，Freesync & G-sync,etc.			
接口/interface type	HDMI*2+DP+USB+AUDIO 2*HDMI+DP*2+AUDIO (可选带typc-C主板/Optional with typc-C)	HDMI*2+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO (可选带typc-C主板/Optional with typc-C)	HDMI*2+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO (可选带typc-C主板/Optional with typc-C)	HDMI*2+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO (可选带typc-C主板/Optional with typc-C)
喇叭/speaker	可选/Optional			
电源/Power	DC 12V 5A 60W			
底座/Base	前后仰(+5°~-15°)，左右(+45°~-45°)，高度调节，快拆式/Tiltabler(+5°~-15°)，Rotatable(+45°~-45°), height adjustment，quick disassembly base			
壁挂/VESA bracket	100*100mm			
颜色/Color	黑色/Black			
配件/Accessories	1.5M HDMI线+DP线+电源+说明书/1.5M HDMI cable+DP cable+power+manual			
包装信息/ Single package	995*490*190mm/7.8kg	995*490*190mm/7.8kg	995*490*190mm/7.8kg	1040*170*480mm/9kg











产品参数/Product parameters

型号/Model	JG270DF	JG270DQ	JG270DU
尺寸/Size	27"	27"	27"
屏类型/Panel type	VA,IPS		
分辨率/Resolution	1920*1080P	2560*1440P	3840*2160P
刷新率/Refresh rate	165Hz/240Hz	75Hz/165Hz	165Hz/240Hz
纵横比/Display ratio	16:9		
可视角度/ Viewing angle	H178°/V178°		
亮度/ Brightness	250 cd/m²(Typical)	250 cd/m²(Typical)	350 cd/m²(Typical)
响应时间/ Response time	1ms		
对比度/ Contrast ratio	3000:1(Typical)		
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)		
OSD功能特点/ OSD feature	低蓝光,HDR,OD，PIP & PBP，Freesync & G-sync等等/Low-Blue Light,HDR,OD，PIP & PBP，Freesync & G-sync,etc.		
接口/interface type	HDMI+DP+USB+AUDIO HDMI*2+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO （可选带typc-C主板）/ (Optional with typc-C)	HDMI+DP+USB+AUDIO HDMI*2+DP+USB+AUDIO HDMI+2*DP+USB+AUDIO （可选带typc-C主板）/ (Optional with typc-C)	HDMI+DP+USB+AUDIO HDMI*2+DP+USB+AUDIO （可选带typc-C主板）/ (Optional with typc-C)
喇叭/speaker	可选/Optional		
电源/Power	DC 12V 4A 48W	DC 12V 4A 48W	DC 12V 5A 60W
底座/Base	前后仰(+5°~-15°)，快拆式/Tiltable(+5°~-15°)，quick disassembly base		
壁挂/VESA bracket	100*100mm		
颜色/Color	黑色/Black		
配件/Accessories	1.5M HDMI线+电源+说明书/1.5M HDMI cable+DP cable+power+manual		
包装信息/ Single package	900*200*450mm/7kg		

R1500曲面电竞JG款

R1500Curved&Gaming-JG series









产品参数/Product parameters

型号/Model	JG270R	JG340R
尺寸/Size	27"	34"
屏类型/Panel type	VA,IPS(可选) /VA,IPS(optional)	
分辨率/Resolution	1920*1080P 180HZ &240Hz 2560*1440P 75Hz & 180HZ& 240Hz 3840*2160P 144HZ	3440*1440P
刷新率/Refresh rate	75Hz/180HZ/240Hz	100Hz/144HZ
纵横比/Display ratio	16:9	21:9
可视角度/ Viewing angle	H178°/V178°	H178°/V178°
亮度/Brightness	250 cd/m²(Typical)	350 cd/m²(Typical)
响应时间/ Response time	5ms	5ms
对比度/ Contrast ratio	3000:1(Typical)	3000:1(Typical)
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)	
OSD功能特点/ OSD feature	低蓝光,HDR,Freesync & G-sync等等/Low-Blue Light,HDR,OD，PIP & PBP, Freesync & G-sync,etc.	
接口/interface type	HDMI+DP+USB+AUDIO HDMI*2+DP+USB+AUDIO HDMI*2+DP*2+AUDIO （可选带typc-C主板/Optional with typc-C）	HDMI*2+DP+USB+AUDIO （可选带typc-C主板/Optional with typc-C）
喇叭/speaker	可选/Optional	可选/Optional
电源/Power	DC 12V 4A 48W	DC 12V 5A 60W
底座/Base	前后仰(+5°~-15°)，快拆式/Tiltable(+5°~-15°)，quick disassembly base	
壁挂/VESA bracket	100*100mm	100*100mm
颜色/Color	黑色/Black	黑色/Black
配件/Accessories	1.5M HDMI线+电源+说明书/1.5M HDMI cable+power+manual	
包装信息/ Single package	900*200*450mm/7kg	1000*200*450mm/9kg













产品参数/Product parameters

型号/Model	YG270R	YG320R	YG340R
尺寸/Size	27"	32"	34"
屏类型/Panel type	VA,R1800	VA,R1800	VA,R1500
分辨率/Resolution	1920*1080P 180HZ &240Hz 2560*1440P 75Hz & 180HZ& 240Hz 3840*2160P 144HZ	1920*1080P 180HZ &240Hz 2560*1440P 75Hz & 180HZ& 240Hz 3840*2160P 144HZ	3440*1440P
刷新率/Refresh rate	75Hz/180HZ/240Hz	75Hz/180HZ/240Hz	100Hz/144HZ
纵横比/Display ratio	16:9	16:9	21:9
可视角度/ Viewing angle	H178°/V178°		
亮度/ Brightness	250 cd/m²(Typical)	250 cd/m²(Typical)	350 cd/m²(Typical)
响应时间/ Response time	1ms		
对比度/ Contrast ratio	3000:1(Typical)		
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)		
OSD功能特点/ OSD feature	低蓝光,HDR,OD，PIP & PBP，Freesync & G-sync等等/Low-Blue Light,HDR,OD，PIP & PBP， Freesync & G-sync,etc.		
接口/interface type	HDMI+DP+USB+AUDIO HDMI*2+DP+USB+AUDIO HDMI*2+DP*2+AUDIO （可选带typc-C主板）/ (Optional with typc-C)	HDMI+DP+USB+AUDIO HDMI*2+DP+USB+AUDIO HDMI*2+DP*2+AUDIO （可选带typc-C主板）/ (Optional with typc-C)	HDMI*2+DP+USB+AUDIO （可选带typc-C主板）/ (Optional with typc-C)
喇叭/speaker	可选/Optional		
电源/Power	DC 12V 4A 48W	DC 12V 4A 48W	DC 12V 5A 60W
底座/Base	前后仰(+5°~-15°)，快拆式/Tiltable(+5°~-15°)，quick disassembly base		
壁挂/VESA bracket	100*100mm		
颜色/Color	黑色/白色/BlackBlack/white		
配件/Accessories	1.5M HDMI线+电源+说明书/1.5M HDMI cable+DP cable+power+manual		
包装信息/ Single package	900*200*450mm/7kg	995*490*190mm/7.8kg	1000*200*450mm/9kg











产品参数/Product parameters

型号/Model	JG320RF	JG320RQ	JG320RH
尺寸/Size	32"	32"	32"
屏类型/Panel type	VA，R1500		
分辨率/Resolution	1920*1080P	2560*1440P	3840*2160P
刷新率/Refresh rate	180HZ/240Hz	75Hz/180HZ/240Hz	75Hz/144Hz
纵横比/Display ratio	16:9		
可视角度/ Viewing angle	H178°/V178°		
亮度/ Brightness	250 cd/m²(Typical)	250 cd/m²(Typical)	350 cd/m²(Typical)
响应时间/ Response time	1ms		
对比度/ Contrast ratio	3000:1(Typical)		
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)		
OSD功能特点/ OSD feature	低蓝光,HDR,OD，PIP & PBP，Freesync & G-sync等等/Low-Blue Light,HDR,OD，PIP & PBP，Freesync & G-sync,etc.		
接口/interface type	HDMI*2+DP+USB+AUDIO 2*HDMI+DP*2+AUDIO （可选带typc-C主板/ Optional with typc-C）	HDMI*2+DP+USB+AUDIO 2*HDMI+DP*2+AUDIO （可选带typc-C主板/ Optional with typc-C）	HDMI*2+DP+USB+AUDIO （可选带typc-C主板/Optional with typc-C）
喇叭/speaker	可选/Optional		
电源/Power	DC 12V 5A 60W		
底座/Base	前后仰(+5°~-15°)，快拆式/Tiltable(+5°~-15°)，quick disassembly base		
壁挂/VESA bracket	100*100mm		
颜色/Color	黑色/Black		
配件/Accessories	1.5M HDMI线+电源+说明书/1.5M HDMI cable+DP cable+power+manual		
包装信息/ Single package	995*490*190mm/7.8kg		

R1500曲面电竞LG款

R1500Curved&Gaming-LG series











产品参数/Product parameters

型号/Model	LG490DQ	LG490DU
尺寸/Size	49"	49"
屏类型/Panel type	VA.R1500	
分辨率/Resolution	WLED 3840*1080P	WLED 5120*1440P
刷新率/Refresh rate	165HZ	165HZ
纵横比/Display ratio	32:9	
可视角度/ Viewing angle	H178°/V178°	
亮度/ Brightness	300 cd/m²(Typical)	
响应时间/ Response time	5ms	
对比度/ Contrast ratio	1000:1(Typical)	
OSD语言/ OSD language	中文，英文，韩语，意大利语等（可定制）/Chinese, English, Korean, Italian, etc. (Optional)	
OSD功能特点/ OSD feature	低蓝光,HDR,OD，PIP & PBP，Freesync & G-sync等等/Low-Blue Light,HDR,OD，PIP & PBP，Freesync & G-sync,etc.	
接口/interface type	HDMI*1+DP*1+USB*2 +AUDIO (可选带typc-C主板/Optional with typc-C)	HDMI*1+DP*1+USB*2 +AUDIO (可选带typc-C主板/Optional with typc-C)
喇叭/speaker	可选/optional	
电源/Power	DC 12V/ 7A 60W DC 24V/ 3.5A 85W	DC 12V/ 7A 60W DC 24V/ 3.5A 85W
底座/Base	前后（+5°~-15°），左右（+45°~-45°）高度调节，快速拆卸底座/ Tiltable(+5°~-15°)，Rotatable(+45°~-45°), height adjustment，quick disassembly base	
壁挂/VESA bracket	100*100mm	
颜色/Color	黑色/Black	
配件/Accessories	1.5M HDMI线+电源+说明书/1.5M HDMI cable+power+manual	
包装信息/ Single package	1260*465*241mm/10.5kg	1260*465*241mm/10.5kg









DA190DFA-75HZ-1
narrow border



DA190DFB-75HZ-1
narrow border



DA190DFC-75HZ-1
narrow border

产品参数/Product parameters

型号/Model	DA190DFA-75HZ-1 narrow border	DA190DFB-75HZ-1 narrow border	DA190DFC-75HZ-1 narrow border
颜色/Color	黑/白 White / Black	黑/白 White / Black	黑/白 White / Black
面板/Panel	19.5'' LED 1600*900(FHD) 16:9	19.5'' LED 1600*900(FHD) 16:9	19" LED 1920*1080(FHD) 16:9
主板/Motherboard	170*170mm		
处理器/CPU Processor	可选/Optional		
内存/Memory	可选（DDR3-8G/16） 可选（DDR4-8G/16G/32G） Optional(DDR3-8G/16) Optional(DDR4-8G/16G/32G)		
固态硬盘/SSD	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB
独立显卡/ Discrete graphics card	/	/	/
光驱/ CD-ROM	/	/	/
wifi和蓝牙/ Wifi and bluetooth	支持/yes	支持/yes	支持/yes
摄像头/ Camera	可选/Optional	可选/Optional	可选/Optional
麦克风/ Microphone	可选/Optional	可选/Optional	可选/Optional
喇叭/Speaker	支持/yes	支持/yes	支持/yes
读卡器/Reader card	/	/	/
接口/Interface	DC JACK x 1 HDMI x 1 COMx 1(optional) USB3.0 x 4 RJ45 x 1 MIC x 1 Line-out x 1	DC JACK x 1 HDMI x 1 COMx 1(optional) USB3.0 x 4 RJ45 x 1 MIC x 1 Line-out x 1	DC JACK x 1 HDMI x 1 COMx 1(optional) USB3.0 x 4 RJ45 x 1 MIC x 1 Line-out x 1
侧面接口/Side interface	USB2.0 x2	USB2.0 x2	USB2.0 x2
运行系统/Operating System	Windows 7/Windows 10/Windows 11		
电源/Power Adapter	100-240AC 50/60HZ Adapter 19V		





DA215DFA-75HZ-1



DA215DFB-75HZ-1



DA215DFC-75HZ-1



DA215DFD-75HZ-1



DA215DFE-75HZ-1



DA215DFF-75HZ-1
narrow border

产品参数/Product parameters

型号/Model	DA215DFA-75HZ-1	DA215DFB-75HZ-1	DA215DFC-75HZ-1	DA215DFD-75HZ-1	DA215DFE-75HZ-1	DA215DFF-75HZ-1 narrow border
颜色/Color	黑/白 White / Black					
面板/Panel	21.5" LED 1920*1080(FHD) 16:9					
主板/Motherboard	170*170mm					
处理器/CPU Processor	可选/Optional					
内存/Memory	可选（DDR3-8G/16） 可选（DDR4-8G/16G/32G）Optional(DDR3-8G/16)Optional(DDR4-8G/16G/32G)					
固态硬盘/SSD	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB
独立显卡/ Discrete graphics card	/	/	/	/	/	/
光驱/ CD-ROM	/	/	/	/	/	/
wifi和蓝牙/ Wifi and bluetooth	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes
摄像头/ Camera	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional
麦克风/ Microphone	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional
喇叭/Speaker	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes
读卡器/Reader card	/	/	/	/	/	/
接口/Interface	DC JACK x 1 HDMI x 1 COMx 1(optional) USB3.0 x 4 RJ45 x 1 MIC x 1 Line-out x 1					
侧面接口/Side interface	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2
运行系统/Operating System	Windows 7/Windows 10/Windows 11					
电源/Power Adapter	100-240AC 50/60HZ Adapter 19V					





DA240DFA-75HZ-1



DA240DFB-75HZ-1



DA240DFC-75HZ-1



DA240DFD-75HZ-1



DA240DFE-75HZ-1



DA240DFF-75HZ-1
narrow border

产品参数/Product parameters

型号/Model	DA240DFA-75HZ-1	DA240DFB-75HZ-1	DA240DFC-75HZ-1	DA240DFD-75HZ-1	DA240DFE-75HZ-1	DA240DFF-75HZ-1 narrow border
颜色/Color	黑/白 White / Black					
面板/Panel	23.8" LED 1920*1080(FHD) 16:9					
主板/Motherboard	170*170mm					
处理器/CPU Processor	可选/Optional					
内存/Memory	可选（DDR3-8G/16） 可选（DDR4-8G/16G/32G）Optional(DDR3-8G/16)Optional(DDR4-8G/16G/32G)					
固态硬盘/SSD	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB
独立显卡/ Discrete graphics card	可选/Optional	/	/	/	/	/
光驱/ CD-ROM	/	/	/	/	/	/
wifi和蓝牙/ Wifi and bluetooth	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes
摄像头/ Camera	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional
麦克风/ Microphone	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional
喇叭/Speaker	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes
读卡器/Reader card	/	/	/	/	/	/
接口/Interface	DC JACK x 1 HDMI x 1 COMx 1(optional) USB3.0 x 4 RJ45 x 1 MIC x 1 Line-out x 1					
侧面接口/Side interface	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2
运行系统/Operating System	Windows 7/Windows 10/Windows 11					
电源/Power Adapter	100-240AC 50/60HZ Adapter 19V					





GYA240DFA-75HZ-1



GYA240DFB-75HZ-1



GYA240DFC-75HZ-1



GYA240DFD-75HZ-1



GYA240DFE-75HZ-1



GYA240DFF-75HZ-1

产品参数/Product parameters

型号/Model	GYA240DFA-75HZ-1	GYA240DFB-75HZ-1	GYA240DFC-75HZ-1	GYA240DFD-75HZ-1	GYA240DFE-75HZ-1	GYA240DFF-75HZ-1
颜色/Color	黑/白 White / Black					
面板/Panel	23.8" LED 1920*1080(FHD) 16:9 23.8" LED 2560*1440(QHD) 16:9 可选/Optional					
主板/Motherboard	170*170mm					
处理器/CPU Processor	可选/Optional					
内存/Memory	可选(DDR4-8G/16G/32G) Optional(DDR4-8G/16G/32G)					
固态硬盘/SSD	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB
独立显卡/ Discrete graphics card	/	/	/	/	/	/
光驱/ CD-ROM	/	/	/	/	/	/
wifi和蓝牙/ Wifi and bluetooth	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes
摄像头/ Camera	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional
麦克风/ Microphone	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional
喇叭/Speaker	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes
读卡器/Reader card	/	/	/	/	/	/
接口/Interface	DC JACK x 1 HDMI x 1 COMx 1(optional) USB3.0 x 4 RJ45 x 1 MIC x 1 Line-out x 1					
侧面接口/Side interface	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2
运行系统/Operating System	Windows 7/Windows 10/Windows 11					
电源/Power Adapter	100-240AC 50/60HZ Adapter 19V					





DA270DFA-75HZ-1



DA270DFB-75HZ-1



DA270DFC-75HZ-1



DA270DFD-75HZ-1
narrow border

产品参数/Product parameters

型号/Model	DA270DFA-75HZ-1	DA270DFC-75HZ-1	DA270DFC-75HZ-1	DA270DFD-75HZ-1 narrow border
颜色/Color	黑/白 White / Black			
面板/Panel	27" LED 1920*1080(FHD) 16:9			
主板/Motherboard	170*170mm			
处理器/CPU Processor	可选/Optional			
内存/Memory	可选(DDR3-8G/16) 可选(DDR4-8G/16G/32G) Optional(DDR3-8G/16) Optional(DDR4-8G/16G/32G)			
固态硬盘/SSD	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB	256G/512G/1TB
独立显卡/ Discrete graphics card	/	/	/	/
光驱/ CD-ROM	/	/	/	/
wifi和蓝牙/ Wifi and bluetooth	支持/yes	支持/yes	支持/yes	支持/yes
摄像头/ Camera	可选/Optional	可选/Optional	可选/Optional	可选/Optional
麦克风/ Microphone	可选/Optional	可选/Optional	可选/Optional	可选/Optional
喇叭/Speaker	支持/yes	支持/yes	支持/yes	支持/yes
读卡器/Reader card	/	/	/	/
接口/Interface	DC JACK x 1 HDMI x 1 COMx 1(optional) USB3.0 x 4 RJ45 x 1 MIC x 1 Line-out x 1			
侧面接口/Side interface	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2
运行系统/Operating System	Windows 7/Windows 10/Windows 11			
电源/Power Adapter	100-240AC 50/60HZ Adapter 19V			





GYA270DFA-75HZ-1



GYA270DFB-75HZ-1



GYA270DFC-75HZ-1



GYA270DFD-75HZ-1



GYA270DFE-75HZ-1



GYA270DFF-75HZ-1

产品参数/Product parameters

型号/Model	GYA270DFA-75HZ-1	GYA270DFB-75HZ-1	GYA270DFC-75HZ-1	GYA270DFD-75HZ-1	GYA270DFE-75HZ-1	GYA270DFF-75HZ-1
颜色/Color	黑/白 White / Black					
面板/Panel	27" LED 1920*1080(FHD) 16:9 27" LED 2560*1440(QHD) 16:9 可选/Optional					
主板/Motherboard	170*170mm					
处理器/CPU Processor	可选/Optional					
内存/Memory	可选(DDR4-8G/16G/32G) Optional(DDR4-8G/16G/32G)					
固态硬盘/SSD	128G/256G/512G/1TB					
独立显卡/ Discrete graphics card	/	/	/	/	/	/
光驱/ CD-ROM	/	/	/	/	/	/
wifi和蓝牙/ Wifi and bluetooth	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes
摄像头/ Camera	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional
麦克风/ Microphone	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional	可选/Optional
喇叭/Speaker	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes	支持/yes
读卡器/Reader card	/	/	/	/	/	/
接口/Interface	DC JACK x 1 HDMI x 1 COMx 1(optional) USB3.0 x 4 RJ45 x 1 MIC x 1 Line-out x 1					
侧面接口/Side interface	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2	USB2.0 x2
运行系统/Operating System	Windows 7/Windows 10/Windows 11					
电源/Power Adapter	100-240AC 50/60HZ Adapter 19V					





GYA300DFA-75HZ-1/120HZ-1



GYA300DFB-75HZ-1

产品参数/Product parameters

型号/Model	GYA300DFA-75HZ-1/120HZ-1	GYA300DFB-75HZ-1
颜色/Color	黑/ Black	黑/ Black
面板/Panel	30" LED 2560*1080(QHD) 21:9	30" LED 2560*1080(QHD) 21:9
主板/Motherboard	170*170mm	170*170mm
处理器/CPU Processor	可选/Optional	可选/Optional
内存/Memory	可选(DDR4-8G/16G/32G) Optional(DDR4-8G/16G/32G)	可选(DDR4-8G/16G/32G) Optional(DDR4-8G/16G/32G)
固态硬盘/SSD	128G/256G/512G/1TB	128G/256G/512G/1TB
独立显卡/ Discrete graphics card	/	/
光驱/ CD-ROM	/	/
wifi和蓝牙/ Wifi and bluetooth	支持/yes	支持/yes
摄像头/ Camera	可选/Optional	可选/Optional
麦克风/ Microphone	可选/Optional	可选/Optional
喇叭/Speaker	支持/yes	支持/yes
读卡器/Reader card	/	/
接口/Interface	DC JACK x 1 HDMI x 1 COMx 1(optional) USB3.0 x 4 RJ45 x 1 MIC x 1 Line-out x 1	DC JACK x 1 HDMI x 1 COMx 1(optional) USB3.0 x 4 RJ45 x 1 MIC x 1 Line-out x 1
侧面接口/Side interface	USB2.0 x2	USB2.0 x2
运行系统/Operating System	Windows 7/Windows 10/Windows 11	Windows 7/Windows 10/Windows 11
电源/Power Adapter	100-240AC 50/60HZ Adapter 19V	100-240AC 50/60HZ Adapter 19V











产品参数/Product parameters

型号/Model	GYA340DFA-100HZ-1/165HZ-1
颜色/Color	白/ White
面板/Panel	34" LED 3440*1440P(QHD) 21:9
主板/Motherboard	170*170mm
处理器/CPU Processor	可选/Optional
内存/Memory	可选(DDR4-8G/16G/32G) Optional(DDR4-8G/16G/32G)
固态硬盘/SSD	128G/256G/512G/1TB
独立显卡/ Discrete graphics card	可选/Optional
光驱/ CD-ROM	/
wifi和蓝牙/ Wifi and bluetooth	支持/yes
摄像头/ Camera	可选/Optional
麦克风/ Microphone	可选/Optional
喇叭/Speaker	支持/yes
读卡器/Reader card	/
接口/Interface	DC JACK x 1 HDMI x 1 COMx 1(optional) USB3.0 x 4 RJ45 x 1 MIC x 1 Line-out x 1
侧面接口/Side interface	USB2.0 x2
运行系统/Operating System	Windows 7/Windows 10/Windows 11
电源/Power Adapter	100-240AC 50/60HZ Adapter 19V

闺蜜机-JY款

Touch smart TV-JY Series

21.5"















产品参数/Product parameters

型号/Model		JY22
液晶显示屏/ LCD Display	屏尺寸/Panel Size	21.5''
	触控屏类型/Touch type	电容式触摸屏/Capacitive touch screen
	分辨率/ Resolution	1920*1080P
	纵横比/Display ratio	16:9
	背光/Backlight	ELED
	可视角度/Viewing angle	H178°/V178°
系统/System	系统版本/System version	Android 13.0
	CPU	MTK8183，四核A73+四核A53/ MTK8183，Quad-core A73+Quad-core A53
	内存容量/Memory	4GB
	存储容量/Storage	64GB
接口/Interface	HMDI	1pc
	Typc-c	1pc
	USB	USB 2.0*2pcs
	DC	1pc
输出/Output	喇叭/Speaker	2*3W
	摄像头/Camera	13MP
	麦克风/Microphone	Dual-mic
	WiFi	2.4G、5G
电源/Power	类型/Type	AC 100-240V
	电源/Power	DC 12V,3A
OSD语言/OSD language	语言/Lguage	中文、英文、韩文、意大利文等（可选）/ Chinese, English, Korean, Italian, etc. (Optional)
特点/Feature	底座/Base	上下旋转15°，左右旋转180°/Rotate up and down to 15°，left and right by 180°
	颜色/Color	白/White
Accessories/配件	适配器/Adapter	包含/Included
	合格证/Certificate of quality	包含/Included
	说明书/Manual	包含/Included
	配套螺丝/Screws	包含/Included
	包装/package	常规/Normal
包装信息Packing		1160*150*520mm，14.8kg
质保期/Warranty		三年/3 years

闺蜜机-JY款

Touch smart TV-JY Series

24.5"













产品参数/Product parameters

型号/Model		JY25	JY-25Pro
液晶显示屏/LCD Display	屏尺寸/Panel Size	24.5"	
	触控屏类型/Touch type	电容式触摸屏/Capacitive touch screen	
	分辨率/ Resolution	1920*1080P	
	纵横比/Display ratio	16:9	
	背光/Backlight	ELED	
	可视角度/Viewing angle	H178°/V178°	
系统/System	系统版本/System version	Android 13.0	
	CPU	MTK8183，四核A73+四核A53 MTK8183，Quad-core A73+Quad-core A53	MTK8781，双核A76+六核A55 MTK8781，Dual-core A76+Six-core A55
	内存容量/Memory	6GB	
	存储容量/Storage	128GB	
接口/Interface	HMDI	1pc	
	Typc-c	1pc	
	USB	USB 2.0*2pcs	
	DC	1pc	
输出/Output	喇叭/Speaker	2*3W	
	摄像头/Camera	13MP	
	麦克风/Microphone	Dual-mic	
	WiFi	2.4G、5G	
	无线投屏/Wireless display	支持/Support	
	小酷AI语音/Xiaoku AI voice	不支持/NO	支持/Support
电源/Power	类型/Type	AC 100-240V	
	电源/Power	DC 19V/3.42A	
OSD语言/OSD language	语言/Lguage	中文、英文、韩文、意大利文等（可选）/Chinese, English, Korean, Italian, etc. (Optional)	
特点/Feature	底座/Base	向上旋转35°，向下旋转20°，向右旋转90°/Rotate up to 35°and down to 20°，right by 90°	
	颜色/Color	白色/银色 White/Silvery	
Accessories/配件	遥控器/Remote control	包含/Included	
	适配器/Adapter	包含/Included	
	合格证/Certificate of quality	包含/Included	
	说明书/Manual	包含/Included	
	配套螺丝/Screws	包含/Included	
	包装/package	常规/Normal	
包装信息Packing		1160*150*520mm，14.8kg	1180 x255 x610mm，20.5kg
质保期/Warranty		三年/3 years	

闺蜜机-JY款

Touch smart TV-JY Series

31.5"







产品参数/Product parameters

型号/Model		JY32
液晶显示屏/LCD Display	屏尺寸/Panel Size	31.5''
	触控屏类型/Touch type	电容式触摸屏/Capacitive touch screen
	分辨率/ Resolution	1920*1080P
	纵横比/Display ratio	16:9
	背光/Backlight	ELED
	可视角度/Viewing angle	H178°/V178°
系统/System	系统版本/System version	Android 13.0
	CPU	MTK8181，双核A76+六核A55 /MTK8183，MTK8181，Dual-core A76+Six-core A55
	内存容量/Memory	8GB
	存储容量/Storage	128GB
接口/Interface	HMDI	1pc
	USB	USB 2.0*2pcs
	DC	1pc
输出/Output	喇叭/Speaker	2*10W
	摄像头/Camera	1080P磁吸摄像头（可选）/1080P Magnetic camera(Optional)
	麦克风/Microphone	阵列麦克风/Array Microphone
	WiFi	2.4G、5G
	无线投屏/Wireless display	支持/Support
	小酷AI语音/Xiaoku AI voice	支持/Support
电源/Power	类型/Type	AC 100-240V
	电源/Power	DC 19V/3.42A
OSD语言/OSD language	语言/Lguage	中文、英文、韩文、意大利文等（可选）/Chinese, English, Korean, Italian, etc. (Optional)
特点/Feature	底座支架/Base Support	向上旋转35°，向下旋转20°，向右旋转90°/Rotate up to 35°and down to 20°，right by 90°
	底座/Base	移动式万向轮/ Mobile universal wheel
	颜色/Color	白色/银色 White/Silvery
Accessories/配件	遥控器/Remote control	包含/Included
	适配器/Adapter	包含/Included
	摄像头/Camera	包含（可选）/Included (Optional)
	合格证/Certificate of quality	包含/Included
	说明书/Manual	包含/Included
	配套螺丝/Screws	包含/Included
	包装/package	常规/Normal
包装信息Packing		1180 x255 x610mm，24.5kg
质保期/Warranty		三年/3 years

移动智慧屏-ZY款

Smart protable TV-ZY Series

31.5"













产品参数/Product parameters

型号/Model		ZY32	ZY-32Pro
液晶显示屏/LCD Display	屏尺寸/Panel Size	31.5''	31.5''
	触控屏类型/Touch type	电容式触摸屏/Capacitive touch screen	
	分辨率/ Resolution	1920*1080P	3840*2560P
	纵横比/Display ratio	16:9	
	背光/Backlight	ELED	
	可视角度/Viewing angle	H178°/V178°	
系统/System	系统版本/System version	Android 13.0	Android 14.0
	CPU	MTK8781，双核A76+六核A55/ MTK8781，Dual-core A76+Six-core A55	RK3576，四核A72+四核A53/ RK3576，Quad-core A72+Quad-core A53
	内存容量/Memory	8GB	
	存储容量/Storage	128GB	
接口/Interface	HMDI	1pc	
	Typc-c	1pc	
	USB	USB 2.0*2pcs	USB 3.0*1,USB 2.0*1
	DC	1pc	
输出/Output	喇叭/Speaker	4*10W	
	摄像头/Camera	13MP	
	麦克风/Microphone	阵列麦克风/Array Microphone	
	WiFi	2.4G、5G	
	无线投屏/Wireless display	支持/Support	
	小酷AI语音/Xiaoku AI voice	支持/Support	
电源/Power	类型/Type	AC 100-240V	
	电源/Power	DC 19V/3.42A	
OSD语言/OSD language	语言/Lguage	中文、英文、韩文、意大利文等（可选）/Chinese, English, Korean, Italian, etc. (Optional)	
特点/Feature	底座支架/Base Support	向上旋转35°，向下旋转20°，向右旋转90°/Rotate up to 35°and down to 20°，right by 90°	
	底座/Base	移动式万向轮/ Mobile universal wheel	
	颜色/Color	白色/银色 White/Silvery	
Accessories/配件	遥控器/Remote control	包含/Included	
	适配器/Adapter	包含/Included	
	合格证/Certificate of quality	包含/Included	
	说明书/Manual	包含/Included	
	配套螺丝/Screws	包含/Included	
	包装/package	常规/Normal	
包装信息Packing		1180 x255 x610mm，24.5kg	
质保期/Warranty		三年/3 years	